

55. Park T., **Mennecart B.**, Costeur L., Grohé C., & Cooper N. (2019). Convergent evolution in toothed whale cochleae. *BMC Evolutionary Biology* 19, 195. DOI 10.1186/s12862-019-1525-x
54. Costeur L., **Mennecart B.**, Müller B., & Schulz G. (2019). Observations on the scaling relationship between bony labyrinth, skull size and body mass in ruminants. *Proceedings of SPIE* 11113, 1111313-1–1111313-10. doi: 10.1117/12.2530702.
53. Costeur L., Maridet O., Lapauze O., **Mennecart B.**, Lu X., Roch R., Tissier J., Vasilyan D., Balme C., & Legal S. (2019). Le gisement de Lurs, une histoire centenaire culminant sur des fouilles prometteuses. *Courrier scientifique du Parc du Luberon et de la Réserve de biosphère Luberon-Lure* 15, 58–69.
52. **Mennecart B.**, Aiglstorfer M., Gölich U, and Daxner-Höck G.(2019). On the oldest Mongolian moschids (Mammalia, Ruminantia) and the early moschid evolution. *Palaeontologia Electronica* 22.2.53 1-17. DOI 10.26879/959.
51. Dubied M., Solé F., & **Mennecart B.** (2019). 3D models related to the publication: The cranium of *Proviverra typica* (Mammalia, Hyaenodonta) and its impact on hyaenodont phylogeny and endocranial evolution. *MorphoMuseuM* 4, e74. DOI 10.18563/journal.m3.74
50. Dubied M., Solé F., & **Mennecart B.** (2019). The cranium of *Proviverra typica* (Mammalia, Hyaenodonta) and its impact on hyaenodont phylogeny and endocranial evolution. *Palaeontology*. DOI 10.1111/pala.12437
49. Solé F. & **Mennecart B.** (2019). A large hyaenodont from the Lutetian of Switzerland expands the body mass range of the European mammalian predators during the Eocene. *Acta Palaeontologia Polonica* 64(2), 275–290.
48. Daxner-Höck, G., Erbajeva, M.A., Göhlich, U.B., López-Guerrero, P., Narantsetseg, T., **Mennecart, B.**, Oliver, A., Vasilyan, D., Ziegler, R. (2019). The Oligocene vertebrate assemblage of Shine Us (Khaliun Basin, western Mongolia). *Annalen des Naturhistorisches Museums in Wien, Serie A* 121, 195–256.
47. Solé F., Dubied M., Le Verger K., & **Mennecart B.** (2019). 3D models related to the publication: Niche partitioning of the European carnivorous mammals during the Paleogene. *MorphoMuseuM*. DOI 10.18563/journal.m3.63.
46. **Mennecart B.**, Zoboli D., Costeur L., & Pillola G.L. (2019). On the systematic position of the oldest insular ruminant *Sardomeryx oschiriensis* (Mammalia, Ruminantia) and the early evolution of the Giraffomorpha. *Journal of Systematic Palaeontology* 17(8). DOI 10.1080/14772019.2018.1472145
45. Becker D., Antoine P.-O., **Mennecart B.**, & Tissier J. (2018). New rhinocerotid remains in the latest Oligocene–Early Miocene of the Swiss Molasse Basin. *Revue de Paléobiologie* 37(2), 443–456. DOI 10.5281/zenodo.2545101
44. Costeur L., Valli A., Beaudouin C., & **Mennecart B.** (2018). On some ruminant petrosal bones and their bony labyrinth from Senèze (Villafranchian, France). *Revue de Paléobiologie* 37(2), 395–408. DOI 10.5281/zenodo.2545091
43. **Mennecart B.**, Radović P, & Marković Z. (2018). New data on the earliest European ruminant (Mammalia, Artiodactyla): a revision of the ruminant fossil mandible from Rusce in the Pčinja basin (late Eocene, Southeastern Serbia). *Palaeontologia Electronica*, 21.3.38A, 1–12.
42. Solé F., Dubied M., Le Verger K., & **Mennecart B.** (2018). Niche partitioning of the European carnivorous mammals during the Paleogene. *Palaios* 33(11), 514–523.
41. Costeur L., Grohé C., Aguirre-Fernández G., Ekdale E., Schulz G., Müller B., & **Mennecart B.** (2018). The bony labyrinth of toothed whales reflects both phylogeny and habitat preferences. *Scientific Reports* 8, 7841. DOI 10.1038/s41598-018-26094-0

40. **Mennecart B.**, Geraads D., Spassov N., Zagorchev I. (2018). Discovery of the oldest European ruminant in the late Eocene of Bulgaria: did tectonics influence the diachronic development of the Grande Coupure? *Palaeogeography, Palaeoclimatology, Palaeoecology* 498, 1–8. DOI 10.1016/j.palaeo.2018.01.011.
39. **Mennecart B.**, Perthuis de Ad., & Costeur L. (2018). 3D models related to the publication: The first French tragulid skull (Mammalia, Ruminantia, Tragulidae) and associated tragulid remains from the Middle Miocene of Contres (Loir-et-Cher, France). MorphoMuseuM. DOI 10.18563/journal.m3.3.3.e4.
38. **Mennecart B.**, Perthuis de Ad., Rössner G. E., Guzmán J. A., Perthuis de Au. & Costeur L. (2018). The first French tragulid skull (Mammalia, Ruminantia, Tragulidae) and associated tragulid remains from the Middle Miocene of Contres (Loir-et-Cher, France). *Comptes Rendus Palévol* 17(3), 189–200. DOI 10.1016/j.crpv.2017.08.004.
37. Serbina L. & **Mennecart B.** (2018). Evolutionary pattern of the forewing shape in the Neotropical genus of jumping-lice (Hemiptera: Psylloidea: *Russeliana*). *Organism Diversity & Evolution* 18(3), 313–325. DOI 10.1007/s13127-018-0367-5
36. Aguirre-Fernández G., **Mennecart B.**, Sánchez-Villagra M., Sánchez Rodolfo, & Costeur L. (2017). A dolphin fossil ear bone from the Northern neotropics—insights into habitats transitions in iniid evolution. *Journal of Vertebrate Paleontology* 37(3), e1315817. DOI 10.1080/02724634.2017.1315817.
35. Aiglstorfer M., Costeur L., **Mennecart B.**, & Heizmann E.P.J. (2017). 3D models related to the publication: *Micromeryx? eiselei* - a new moschid species from Steinheim am Albuch, Germany, and the first comprehensive description of moschid cranial material from the Miocene of Central Europe. *PlosOne* 12(10), e0185679.
34. Aiglstorfer M., Costeur L., **Mennecart B.**, & Heizmann E.P.J. (2017). *Micromeryx? eiselei* - a new moschid species from Steinheim am Albuch, Germany, and the first comprehensive description of moschid cranial material from the Miocene of Central Europe. MorphoMuseuM 3(4)-e4. DOI 10.18563/03.3.4.e4.
33. Bonis de L. & **Mennecart B.** (2017). First occurrence of the rare genus *Adelpharcos* (Mammalia, Carnivora) in the late Oligocene locality of Rickenbach (Switzerland). *Neues Jahrbuch für Paläontologie Abhandlungen*. 284/2, 153–159.
32. Cavin L., **Mennecart B.**, Obrist C., Costeur L., & Furrer H. (2017). A bizarre Triassic latimeriid coelacanth from Switzerland stemmed from a heterochronic evolution. *Scientific Reports* 7, 13695. DOI 10.1038/s41598-017-13796-0
31. Costeur L., **Mennecart B.**, Khimchenko A., Müller B., & Schulz G. (2017). Innervation of the cow's inner ear derived from micro-computed tomography. *Proceedings of SPIE* 10391, 103911I1–8.
30. Costeur L., **Mennecart B.**, Müller B., & Schultz G. (2017). Prenatal growth stages show the development of the ruminant bony labyrinth and petrosal bone. *Journal of Anatomy*. 230(2), 347–353. DOI 10.1111/joa.12549.
29. Dubied M., Gilbert C., Deleglise M., Laurens F., & **Mennecart B.** (2017). De l'importance de la collection Quatrehomme (Musée La Monnaye, Meung-sur-Loire) dans le paysage paléontologique français. *Carnets de Géologie* 17(5), 129–138.
28. Jouve S., **Mennecart B.**, Douteau J., & Jalil N.-E. (2017). Biases in the study of relationships between biodiversity dynamics and fluctuation of environmental conditions. *Palaeontologia Electronica*. 20.1.18A, 1–21.
27. **Mennecart B.** & Laurens F. (2017). Note sur les fossiles de vertébrés marins (*Cacharocles megalodon* et sirénien indet.) provenant de la collection archéologique de la mairie d'Ouzouer-le-Marché. *Symbioses* 35–36, 65–68.

26. **Mennecart B.**, DeMiguel D., Bibi F., Rössner G.E., Métais G., Neenan J. M., Wang S., Schultz G., Müller B., Costeur L. (2017). Bony labyrinth morphology clarifies the origin and evolution of deer. *Scientific Reports* 7, 13176. DOI 10.1038/s41598-017-12848-9.
25. **Mennecart B.**, Zoboli D., Costeur L., & Pillola G.L. (2017). Reassessment of the latest Oligocene ruminant from Sardara, the last non-insular mammal from Sardinia (Italy). *Neues Jahrbuch für Paläontologie Abhandlungen* 286/1, 97–104.
24. Métais G., **Mennecart B.**, & Roohi G. (2017). A new assemblage of stem pecoran ruminants from the Oligocene Chitarwata Formation, Bugti Hills, Baluchistan, Pakistan: paleoenvironmental and paleobiogeographical implications. *Journal of Asian Earth Sciences*. 136, 40–49. DOI 10.1016/j.jseas.2016.09.009.
23. Moreau J.D., Néraudeau D., Vullo R., Abit D., **Mennecart B.**, & Schnyder J. (2017). Late Jurassic dinosaur footprints from Chassiron–La Morelière (Oléron Island, western France). *Palaeobiodiversity and Palaeoenvironments*. 1–17. DOI 10.1007/s12549-017-0282-3.
22. Solé F., Le Verger K., **Mennecart B.** (2017). Comprendre le succès des Carnivora (Mammalia). *Journal de l'APF*. 73, 14–17.
21. Costeur L. & **Mennecart B.** (2016). 3D models related to the publication: Prenatal growth stages show the development of the ruminant bony labyrinth and petrosal bone. *MorphoMuseuM*. 2(2)-e3. DOI 10.18563/m3.2.2.e3.
20. Costeur L., **Mennecart B.**, Müller B., & Schultz G. (2016). Middle ear bones of a mid-gestation ruminant foetus extracted from X-ray computed tomography. *Proceedings of SPIE*. 9967, 99671Q-1–7.
19. Jouve S., **Mennecart B.**, Douteau J., & Jalil N.-E. (2016). The oldest durophagous Teleosauroid (Crocodylomorpha, Thalattosuchia) from the Lower Bathonian of Central High Atlas, Morocco. *Palaeontology*. 59(6), 863–876.
18. **Mennecart B.** & Costeur L. (2016a). A *Dorcatherium* (Mammalia, Ruminantia, Middle Miocene) petrosal bone and the tragulid ear region. *Journal of Vertebrate Paleontology*. 36(6), e1211665
17. **Mennecart B.** & Costeur L. (2016b). 3D models related to the publication: A *Dorcatherium* (Mammalia, Ruminantia, Middle Miocene) petrosal bone and the tragulid ear region. *MorphoMuseuM*. 2 (1)-e2. DOI 10.18563/m3.2.1.e2.
16. **Mennecart B.** & Costeur L. (2016c). Shape variation and ontogeny of the ruminant bony labyrinth, an example in Tragulidae. *Journal of Anatomy*. 229(3), 422–435. DOI 10.1111/joa.12487.
15. **Mennecart B.**, Rössner G.E., Métais G., DeMiguel D., Schultz G., Müller B., & Costeur L. (2016). The petrosal bone and bony labyrinth of Early to Middle Miocene European deer (Mammalia, Cervidae) reveal their phylogeny. *Journal of Morphology*. 277, 1329–1338.
14. **Mennecart B.**, Yerly B., Mojon P.-O., Angelone C., Maridet O., Böhme M., & Pirkenseer C. (2016). A new Late Agenian (MN2a, Early Miocene) fossil assemblage from Wallenried (Molasse Basin, Canton Fribourg, Switzerland). *Paläontologische Zeitschrift*. 90(1), 101–123. DOI 10.1007/s12542-015-0275-3.
13. **Mennecart B.** (2015). The European ruminants during the «*Microbunodon* Event» (MP28, latest Oligocene): Impact of climate changes and faunal event on the ruminant evolution. *PlosOne*. 1–28. DOI 10.1371/journal.pone.0116830.
12. **Mennecart B.** & Métais G. (2015). *Mosaicomeryx* gen. nov., a ruminant mammal from the Oligocene of Europe and the significance of “gelocids”. *Journal of Systematic Palaeontology*. 13(7), 581–600. DOI 10.1080/14772019.2014.948505.

11. Londeix L. & **Mennecart B.** (2014). Aperçu des mammifères continentaux aquitaniens en Aquitaine. in Londeix L. (Ed.) Stratotype Aquitanien, collection Patrimoine géologique, MNHN & Biotope. 294–307.
10. Weidmann M., Engesser B., Berger J.-P., Mojon P.-O., Ginsburg L., Mödden C., Becker D., & **Mennecart B.** (2014). Paléontologie et biostratigraphie de la Molasse de l'Oligocène et du Miocène basal du Talent et de quelques autres localités du Plateau vaudois (Suisse). Revue de Paléobiologie. 33(2), 463–531.
9. **Mennecart B.** & Havran M. (2013). Nouvelles données sur les Ichtyosaures du Canton de Fribourg. Bulletin de la Société fribourgeoise des sciences naturelles. 102, 77–84.
8. Scherler L., **Mennecart B.**, Hiard F., & Becker D. (2013). Evolutionary history of hoofed mammals during the Oligocene-Miocene transition in Western Europe. Swiss Journal of Geosciences. 106, 349–369.
7. **Mennecart B.** (2012). The Ruminantia (Mammalia, Cetartiodactyla) from the Oligocene to the Early Miocene of Western Europe : systematics, palaeoecology and palaeobiogeography. Geofocus. 32, 1–263.
6. **Mennecart B.**, Becker D., & Berger J.-P. (2012). Mandible shape of ruminants: between phylogeny and feeding habits. In Mendes R. E. (Ed.), Ruminants: Anatomy, behavior, and diseases. Nova Science Publishers. 205–226.
5. **Mennecart B.**, Scherler L., Hiard F., Becker D., & Berger J.-P. (2012). Large mammals from Rickenbach (Switzerland, Reference-Locality MP29, Late Oligocene): biostratigraphic and paleoenvironmental implications. Swiss Journal of Palaeontology. 131, 161–181.
4. Canillos T., Aguilhon M., Comte A., **Mennecart B.**, Respaut C., Seguin M. (2011). Sondage archéologique sur l'oppidum du camp de César à Laudun-l'Ardoise. Une structure du Haut-Empire réutilisée au cours de l'Antiquité tardive. Rhodania, 119, 1–15.
3. **Mennecart B.**, Becker D., & Berger J.-P. (2011). *Iberomeryx minor* (Mammalia, Artiodactyla) from the Early Oligocene of Soulce (Canton Jura, NW Switzerland): systematics and palaeodiet. Swiss Journal of Geosciences, 104 (suppl 1), S115–S132.
2. Becker D., Antoine P.-O., Engesser B., Hiard F., Hostettler B., Menkveld-Gfeller U., **Mennecart B.**, Scherler L., & Berger J.-P. (2010). Late Aquitanian mammals from Engehalde (Molasse Basin, Canton Bern, Switzerland). Annales de Paléontologie, 96, 3, 95–116.
1. Sauvage J.-P. & **Mennecart B.** (2006). L'utilisation des faluns pour la construction dans le canton de Contres. Annales de l'université du 3e âge, session de printemps 2006, 68–81.